


Rullegardin dugfarver & specifikationer


Dugfarver - ensfarvet




110001



110011



110012




110013




110021




110041



110042




110061




110062




110063




110089




110091




110094




110095




110098




110099




110100




110101




110102




120017




120018




120019




120028




120029




120030




120031




120032



120033




120034




120035


Dugfarver - ensfarvet




120036




120037




120038




120039




120041




150010




150011



150012




150013



150014


Dugfarver - struktur




120011




120012




120013




120014




120015




120016




130030



130031




130032




130033




130034




130035




130036




140010




140011




140012




140020




140021



140022




140023




140024




140025




140026




140027



150055




150057




150058


Dugfarver - screendug indvendig




140053




140054




140055




140056




140057




140058




140060




140061




140062




140063




140065




140066




140067




140068




140069




140080




140081




140082




140083




140084




140085




140086




140087




140088




140180




140181




140182



140183



140184



140185


Dugfarver - screendug indvendig




140186




140187




140188




150030




150031




150040




150041




150042




150045




150046




150047




150050




150060




150061




150062




150063




150064




150065




150066




150067




150080




150081




150082




150083



150084




150085




150086



150087




150088




160020


Dugfarver - screendug indvendig




160031




160032




160033




160034




160060




160061




160062




160063




160064




160090




160091



160092




160093




160094


Dugfarver - mørklægning




130010




130011




130012




130013




130014




130015




130016




130020




130021




130022




130023




130024




130025




130040




130041




140001




140002




140030




140031




140032




140033




140034




140040




140041




140042




140043



140044



140045




140050




140051


Dugfarver - mørklægning




140052




140075




140078




140079




150070




140076




140077




150071




150072




150073



150074



150075



150076

Rullegardin dugspecifikationer

blendex artikel	Materiale	Vægt g/m ²	Bredde cm	Oeko tex	FR Flamme-hæmmende	OF % (åbenheds faktor)	Rv Lys-reflek-sion	Tv Lys-trans-mission	Av Lys-absorp-tion	Rs Sol-energi-refleksion	Ts Solenergi-trans-mission
110001	100% polyester	175	200	X		2	47	52	1	48	51
110011	100% polyester	175	200	X		2	37	63	0	37	63
110012	100% polyester	175	200	X		1	36	41	23	42	44
110013	100% polyester	175	200	X		0	16	17	67	17	19
110021	100% polyester	175	200	X		0	62	38	0	60	40
110041	100% polyester	175	200	X		0	45	50	5	46	50
110042	100% polyester	175	200	X		1	43	51	6	45	52
110061	100% polyester	175	200	X		1	39	44	17	44	46
110062	100% polyester	175	200	X		0	30	31	39	37	39
110063	100% polyester	175	200	X		1	41	46	13	41	46
110089	100% polyester	210	200				60	19	21		
110091	100% polyester	210	200				51	12	37		
110094	100% polyester	210	200				32	14	54		
110095	100% polyester	210	200				44	11	45		
110098	100% polyester	210	200				30	13	57		
110099	100% polyester	210	200				11	3	86		
110100	100% polyester	210	200				13	4	83		
110101	100% polyester	210	200				26	6	68		
110102	100% polyester	210	200				33	16	51		
120011	100% bomuld	180	200								
120012	100% bomuld	180	200								
120013	100% polyester	150	200								
120014	100% bomuld	260	200								
120015	100% bomuld	260	200								
120016	100% bomuld	260	200								
120017	80% PC. Polyester / 20% Polyester*	215	240	X	X (M1/B1/C1/NFPA 701)	0	29	1	70	44	9

*80% Post-Consumer Polyester / 20% Polyester

Rullegardin dugspecifikationer

blendex artikel	Materiale	Vægt g/m ²	Bredde cm	Oeko tex	FR Flamme-hæmmende	OF % (åbenheds faktor)	Rv Lys-reflek-sion	Tv Lys-trans-mission	Av Lys-absorp-tion	Rs Sol-energi-refleksion	Ts Solenergi-trans-mission
120018	80% PC. Polyester / 20% Polyester*	215	240	X	X (M1/B1/C1/NFPA 701)	0	45,5	5	49,5	53,2	13,5
120019	80% PC. Polyester / 20% Polyester*	215	240	X	X (M1/B1/C1/NFPA 701)	0	41	2	57	40	4
120028	80% PC. Polyester / 20% Polyester*	215	240	X	X (M1/B1/C1/NFPA 701)	0	31,6	2,3	66,1	51,3	14,4
120029	80% PC. Polyester / 20% Polyester*	215	240	X	X (M1/B1/C1/NFPA 701)	0	19	0	81	23	1
120030	80% PC. Polyester / 20% Polyester*	215	240	X	X (M1/B1/C1/NFPA 701)	0	75	14	11	70	17
120031	100% polyester	215	200	X	X (B1/M1)		79	14	7		
120032	100% polyester	215	200	X	X (B1/M1)		66	9	25		
120033	80% PC. Polyester / 20% Polyester*	215	240	X	X (M1/B1/C1/NFPA 701)	0	20	0	80	19	0
120034	80% PC. Polyester / 20% Polyester*	215	240	X	X (M1/B1/C1/NFPA 701)	0	50	4	46	47	6
120035	80% PC. Polyester / 20% Polyester*	215	240	X	X (M1/B1/C1/NFPA 701)	0	37	1	62	35	2
120036	80% PC. Polyester / 20% Polyester*	215	240	X	X (M1/B1/C1/NFPA 701)	0	21	0	79	18	0
120037	80% PC. Polyester / 20% Polyester*	215	240	X	X (M1/B1/C1/NFPA 701)	0	6	0	94	6	0
120038	100% polyester	215	200	X	X (B1/M1)		68	14	18		
120039	100% polyester	215	200	X	X (B1/M1)		63	8	29		
120041	80% PC. Polyester / 20% Polyester*	215	240	X	X (M1/B1/C1/NFPA 701)	0	12	0	88	38	9
130010	100% polyester	330	200			0	80	0	20		
130011	100% polyester	330	200			0	80	0	20		
130012	100% polyester	330	200			0	54	0	45		
130013	100% polyester	330	200			0	36	0	64		
130014	100% polyester	330	200			0	19	0	81		
130015	100% polyester	330	200			0	16	0	84		
130016	100% polyester	330	200			0	3	0	97		
130020	100% polyester	330	200			0	19	0	81		
130021	100% polyester	330	200			0	18	0	82		
130022	100% polyester	330	200			0	13	0	87		
130023	100% polyester	330	200			0	16	0	84		

*80% Post-Consumer Polyester / 20% Polyester

Rullegardin dugspecifikationer

blendex artikel	Materiale	Vægt g/m ²	Bredde cm	Oeko tex	FR Flamme-hæmmende	OF % (åbenheds faktor)	Rv Lys-reflek-sion	Tv Lys-trans-mission	Av Lys-absorp-tion	Rs Sol-energi-refleksion	Ts Solenergi-trans-mission
130024	100% polyester	330	200			0	12	0	88		
130025	100% polyester	330	200			0	23	0	77		
130030	100% polyester	170	200	X		3	10	6	84	38	21
130031	100% polyester	170	200	X		3	10	6	84	38	21
130032	100% polyester	170	200	X		2	10	5	85	36	22
130033	100% polyester	170	200	X		3	52	31	17	56	34
130034	100% polyester	170	200	X		2	59	41	0	60	39
130035	100% polyester	170	200	X		2	15	5	80	38	20
130036	100% polyester	170	200	X		2	15	5	80	38	20
130040	100% polyester	290	200	X		0	75	0	25		
130041	100% polyester	290	200	X		0	75	0	25		
140001	80% PC. Polyester / 20% Polyester*	325	240	X	X (M1/B1/C1/NFPA 701)	0	74	0	26	66	0
140002	80% PC. Polyester / 20% Polyester*	325	240	X	X (M1/B1/C1/NFPA 701)	0	47	0	53	44	0
140010	100% polyester	245	295	X		2	50	35	15	51	36
140011	100% polyester	245	295	X		3	58	38	4	57	37
140012	100% polyester	245	295	X		3	58	38	4	57	37
140020	100% trevira CS	135	230	X	X	13	45	55	0	45	54
140021	100% trevira CS	135	230	X	X	12	39	47	14	43	50
140022	100% trevira CS	135	230	X	X	10	23	29	48	35	39
140023	100% trevira CS	135	230	X	X	11	15	25	60	31	38
140024	100% trevira CS	135	230	X	X	11	36	43	21	37	44
140025	100% trevira CS	135	230	X	X	12	22	32	46	33	42
140026	100% trevira CS	135	230	X	X	10	18	26	56	33	39
140027	100% trevira CS	135	230	X	X	11	14	24	62	30	38
140030	100% polyester	310	240	X	X (B1)	0	80	0	20	67	0
140031	100% polyester	310	240	X	X (B1/M1)	0	80	0	20	70	0

*80% Post-Consumer Polyester / 20% Polyester

Rullegardin dugspecifikationer

blendex artikel	Materiale	Vægt g/m ²	Bredde cm	Oeko tex	FR Flamme-hæmmende	OF % (åbenheds faktor)	R _v Lys-reflek-sion	T _v Lys-trans-mission	A _v Lys-absorp-tion	R _s Sol-energi-refleksion	T _s Solenergi-trans-mission
140032	80% PC. Polyester / 20% Polyester*	325	240	X	X (M1/B1/C1/NFPA 701)	0	56	0	44	51	0
140033	80% PC. Polyester / 20% Polyester*	325	240	X	X (M1/B1/C1/NFPA 701)	0	19	0	81	17	0
140034	80% PC. Polyester / 20% Polyester*	325	240	X	X (M1/B1/C1/NFPA 701)	0	6	0	94	6	0
140040	25% glasfiber / 75% PVC	340	185		X (M1)	0		0			
140041	25% glasfiber / 75% PVC	340	185		X (M1)	0		0			
140042	25% glasfiber / 75% PVC	340	185		X (M1)	0		0			
140043	25% glasfiber / 75% PVC	340	185		X (M1)	0		0			
140044	25% glasfiber / 75% PVC	340	185		X (M1)	0		0			
140045	25% glasfiber / 75% PVC	340	185		X (M1)	0		0			
140050	100% polyester	220	200	X		0	60	0	40	60	0
140051	100% polyester	220	200	X		0	60	0	40	60	0
140052	100% polyester	220	200	X		0	60	0	40	60	0
140053	100% trevira CS ECO	270	300	X	X (B1/M1/B-s1,d0)	1	3	2	95	29	18
140054	100% trevira CS ECO	270	250	X	X (B1/M1/B-s1,d0)	1	7	3	90	32	17
140055	100% trevira CS ECO	270	300	X	X (B1/M1/B-s1,d0)	1	43	18	39	50	26
140056	100% trevira CS ECO	270	300	X	X (B1/M1/B-s1,d0)	1	36	14	50	47	24
140057	100% trevira CS ECO	270	300	X	X (B1/M1/B-s1,d0)	1	44	20	36	51	27
140058	100% trevira CS ECO	270	300	X	X (B1/M1/B-s1,d0)	1	59	36	5	57	36
140060	30% polyester / 70% PVC	410	250		X (M1/B1)	5		11		74	12
140061	30% polyester / 70% PVC	410	250		X (M1/B1)	5		9		56	9
140062	30% polyester / 70% PVC	410	250		X (M1/B1)	5		8		47	6
140063	30% polyester / 70% PVC	410	250		X (M1/B1)	5		8		11	7
140065	100% trevira CS	270	250	X	X (B1/M1/B-s1,d0)	1	12	7	81	35	23
140066	100% trevira CS	270	250	X	X (B1/M1/B-s1,d0)	1	29	10	61	45	22
140067	100% trevira CS	270	250	X	X (B1/M1/B-s1,d0)	1	17	5	78	39	21
140068	100% trevira CS	270	250	X	X (B1/M1/B-s1,d0)	1	16	5	79	39	20

*80% Post-Consumer Polyester / 20% Polyester

Rullegardin dugspecifikationer

blendex artikel	Materiale	Vægt g/m ²	Bredde cm	Oeko tex	FR Flamme-hæmmende	OF % (åbenheds faktor)	Rv Lys-reflek-sion	Tv Lys-trans-mission	Av Lys-absorp-tion	Rs Sol-energi-refleksion	Ts Solenergi-trans-mission
140069	100% trevira CS	270	250	X	X (B1/M1/B-s1,d0)	1	7	2	91	31	16
140075	100% polyester	270	250	X		0		0			0
140076	100% polyester	270	200	X		0		0			0
140077	100% polyester	270	200	X		0		0			0
140078	100% polyester	270	250	X		0		0			0
140079	100% polyester	270	200	X		0		0			0
140080	36% glasfiber / 64% PVC	390	250	X	X (B1/FR)	3	81,8	16		72	17
140081	36% glasfiber / 64% PVC	390	250	X	X (B1/FR)	3		14		65	16
140082	36% glasfiber / 64% PVC	390	250	X	X (B1/FR)	3	64,7	11		57	12
140083	36% glasfiber / 64% PVC	390	250	X	X (B1/FR)	3		14		50	18
140084	36% glasfiber / 64% PVC	390	250	X	X (B1/FR)	3	34,2	7		31	8
140085	36% glasfiber / 64% PVC	390	250	X	X (B1/FR)	3		3		11	3
140086	36% glasfiber / 64% PVC	390	250	X	X (B1/FR)	3	7,7	4		7	4
140087	36% glasfiber / 64% PVC	390	250	X	X (B1/FR)	3		2		5	2
140088	36% glasfiber / 64% PVC	390	250	X	X (B1/FR)	3	4,4	4		4	5
140180	36% glasfiber / 64% PVC	424	250	X	X (FR/M2)	1		13		74	13
140181	36% glasfiber / 64% PVC	424	250	X	X (FR/M2)	1		10		66	13
140182	36% glasfiber / 64% PVC	424	250	X	X (FR/M2)	1		7		58	8
140183	36% glasfiber / 64% PVC	424	250	X	X (FR/M2)	1		11		51	15
140184	36% glasfiber / 64% PVC	424	250	X	X (FR/M2)	1		4		31	6
140185	36% glasfiber / 64% PVC	424	250	X	X (FR/M2)	1		1		12	1
140186	36% glasfiber / 64% PVC	424	250	X	X (FR/M2)	1		2		8	2
140187	36% glasfiber / 64% PVC	424	250	X	X (FR/M2)	1		1		6	1
140188	36% glasfiber / 64% PVC	424	250	X	X (FR/M2)	1		1		5	1
150010	100% trevira CS	280	240	X	X (B1/M1)		60	15	25		
150011	100% trevira CS	280	240	X	X (B1/M1)		45	15	40		

Rullegardin dugspecifikationer

blendex artikel	Materiale	Vægt g/m ²	Bredde cm	Oeko tex	FR Flamme-hæmmende	OF % (åbenheds faktor)	Rv Lys-reflek-sion	Tv Lys-trans-mission	Av Lys-absorp-tion	Rs Sol-energi-refleksion	Ts Solenergi-trans-mission
150012	100% trevira CS	280	240	X	X (B1/M1)		48	13	39		
150013	100% trevira CS	280	240	X	X (B1/M1)		25	7	68		
150014	100% trevira CS	280	240	X	X (B1/M1)		3	5	92		
150030	36% glasfiber / 64% PVC	465	250	X	X (M1/B1)	1		3		43	3
150031	36% glasfiber / 64% PVC	465	250	X	X (M1/B1)	1		7		55	9
150040	100% polyester	170	240	X	X (B1)	3	49	11	40		
150041	100% polyester	170	240	X	X (B1)		47	7	46		
150042	100% polyester	170	240	X	X (B1)		44	3	53		
150045	100% polyester	195	240	X	X (B1/C1/B-s2,d0)	5	78	7	15	78	5
150046	100% polyester	195	240	X	X (B1/C1/B-s2,d0)	5	78	6	16	78	5
150047	100% polyester	195	240	X	X (B1/C1/B-s2,d0)	5	79	5	16	80	5
150050	100% PET	140	152		X (B2)		72	3	25		
150055	100% trevira CS	170	300	X	X (B1/M1)	5		20		21	16
150057	100% trevira CS	170	300	X	X (B1/M1)	5		18		13	12
150058	100% trevira CS	170	300	X	X (B1/M1)	5		13		12	11
150060	100% trevira CS	270	250	X	X (M1/B1/B,s1,d0)	1	61	37	2	58	36
150061	100% trevira CS	270	250	X	X (M1/B1/B,s1,d0)	1	58	32	10	59	33
150062	100% trevira CS	270	250	X	X (M1/B1/B,s1,d0)	1	9	3	88	35	19
150063	100% trevira CS	270	250	X	X (M1/B1/B,s1,d0)	1	3	1	96	31	17
150064	100% trevira CS	270	250	X	X (M1/B1/B,s1,d0)	1	61	35	4	59	35
150065	100% trevira CS	290	240	X	X (B1, M1)	4	64	7	29	66	7
150066	100% trevira CS	290	285	X	X (B1, M1)	4	60	5	35	63	7
150067	100% trevira CS	290	285	X	X (B1, M1)	4	58	5	37	60	7
150070	100% trevira CS	280	240	X	X (B1)	0	82	0	18	69	0
150071	100% trevira CS	280	240	X	X (B1)	0	61	0	39	52	0
150072	100% trevira CS	280	240	X	X (B1)	0	37	0	63	33	0

Rullegardin dugspecifikationer

blendex artikel	Materiale	Vægt g/m ²	Bredde cm	Oeko tex	FR Flamme-hæmmende	OF % (åbenheds faktor)	R _v Lys-reflek-sion	T _v Lys-trans-mission	A _v Lys-absorp-tion	R _s Sol-energi-refleksion	T _s Solenergi-trans-mission
150073	100% trevira CS	280	240	X	X (B1)	0	15	0	85	15	0
150074	100% trevira CS	280	240	X	X (B1)	0	16	0	84	14	0
150075	100% trevira CS	280	240	X	X (B1)	0	6	0	94	6	0
150076	100% trevira CS	280	240	X	X (B1)	0	8	0	92	7	0
150080	100% trevira CS	285	240	X	X (B1/M1/B-s1,d0)	3	59	4	37	61	5
150081	100% trevira CS	285	285	X	X (B1/M1/B-s1,d0)	3	63	3	34	65	4
150082	100% trevira CS	285	285	X	X (B1/M1/B-s1,d0)	3	64	3	33	65	4
150083	100% trevira CS	285	240	X	X (B1/M1/B-s1,d0)	3	59	4	37	65	5
150084	100% trevira CS	285	240	X	X (B1/M1/B-s1,d0)	3	65	5	30	67	5
150085	100% polyester	240	285	X	X	2		4		68	4
150086	100% polyester	240	285	X	X	2		3		65	4
150087	100% polyester	240	285	X	X	2		1		64	2
150088	100% polyester	240	285	X	X	2		1		65	3
160020	36% glasfiber / 64% PVC	330	220	X	X (M1/B2/C)	10		18		46	20
160031	34% glasfiber / 66% PVC	420	250	X	X (M1/B1)	3		9		48	10
160032	34% glasfiber / 66% PVC	420	250	X	X (M1/B1)	3		14		58	16
160033	34% glasfiber / 66% PVC	420	250	X	X (M1/B1)	3		23		64	24
160034	34% glasfiber / 66% PVC	420	250	X	X (M1/B1)	3		4		4	4
160060	50% PET / 50% PES	250	280		X (B1)	2 til 3		9		44	9
160061	50% PET / 50% PES	250	280		X (B1)	2 til 3		8		45	8
160062	50% PET / 50% PES	250	280		X (B1)	2 til 3		7		44	8
160063	50% PET / 50% PES	250	280		X (B1)	2 til 3		7		44	8
160064	50% PET / 50% PES	250	280		X (B1)	2 til 3		4		44	6
160090	36% glasfiber / 64% PVC	401	240	X	X (M1/B1)	3	78,4	4		73	4
160091	36% glasfiber / 64% PVC	401	240	X	X (M1/B1)	3	79	3		72	3
160092	36% glasfiber / 64% PVC	401	240	X	X (M1/B1)	3	79,2	3		71	4

Rullegardin dugspecifikationer

blendex artikel	Materiale	Vægt g/m ²	Bredde cm	Oeko tex	FR Flamme-hæmmende	OF % (åbenheds faktor)	Rv Lys-reflek-sion	Tv Lys-trans-mission	Av Lys-absorp-tion	Rs Sol-energi-refleksion	Ts Solenergi-trans-mission
160093	36% glasfiber / 64% PVC	401	240	X	X (M1/B1)	3	79,9	3		73	3
160094	36% glasfiber / 64% PVC	401	240	X	X (M1/B1)	3	80,1	3		72	3